


SlimLight




Honeycomb Modular LED

screen | media
LED TECHNOLOGY APPLICATIONS



Honeycomb LED Modules have The Edge!



- Over 30000 hours of continuous bright light
- As much as 80% less power consumption
- High brightness - 3500 Lux luminance
- LED's focus at 4cm to make very slim light boxes
- Waterproofed for external use
- Easy to install and maintain



Available sizes and models

LM 30/30C 24-A

LM 7.5/30C 24-B

LM 7.5/30C 24-C



LM 7.5/30C 24-D

LM 7.5/7.5C 24-E

LM 7.5/7.5C 24-F

The modules come in 3 sizes, 6 different models - and they give 3500 lux luminance from each LED bulb. They have an angle of 120° and focus the light evenly at about 4cm, giving bright even light throughout. The modules are waterproofed in spaceage IP67 PARYLENE COATING. They can also be very easily interconnected to virtually any size and shape.

Specifications:

Model No.	Material	Voltage	Overall size	W	Lux/5cm	Angle	Colour
LM 30/30C 24-A	PCB FR4	DC 24V	30X30X0.16 cm	8W	3500 LUX	120o	White
LM 7.5/30C 24-B	PCB FR4	DC 24V	7.5X30X0.16 cm	2W	3500 LUX	120o	White
LM 7.5/30C 24-C	PCB FR4	DC 24V	7.5X30X0.16 cm	2W	3500 LUX	120o	White
LM 30/7.5C 24-D	PCB FR4	DC 24V	7.5X30X0.16 cm	2W	3500 LUX	120o	White
LM 7.5/7.5C 24-E	PCB FR4	DC 24V	7.5X7.5X0.16 cm	0.5W	3500 LUX	120o	White
LM 7.5/7.5C 24-F	PCB FR4	DC 24V	7.5X7.5X0.16 cm	0.5W	3500 LUX	120o	White